



STIHL

SAW CHAIN GUIDE

Select your chainsaw model to find all compatible saw chains.

CHOOSE YOUR MODEL

MS 150	MS 150 T	MS 151 C-E
MS 151 T C-E	MS 162	MS 170
MS 171	MS 172	MS 172 C-E
MS 180	MS 180 C-BE	MS 181 C-BE
MS 182	MS 182 C-BE	MS 193 C-E
MS 193 T	MS 194 C-E	MS 194 T
MS 200	MS 200 T	MS 201 C-EM
MS 201 T C-M	MS 211	MS 211 C-BE
MS 212 C-BE	MS 241 C-E	MS 250
MS 251	MS 251 C-BE	MS 261
MS 271	MS 291	MS 311
MS 362	MS 362 C-M	MS 391
MS 400 C-M	MS 441	MS 441 C-M
MS 461	MS 462	MS 462 C-M
MS 500i	MS 661	MS 661 C-M
MS 880	MS 881	MSA 60 C-B
MSA 70 C-B	MSA 120 C-B	MSA 140 C-B
MSA 160 C-B	MSA 161 T	MSA 200 C-B
MSA 220 C-B	MSA 220 TC-O	MSA 300 C-O



MS 150 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 150 T CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 151 C-E CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER

 MORE INFO

 MORE INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 151 T C-E CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 162 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P Gauge: .043" Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 170 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 171 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 003 3913	61 PMM3 55	N/A
Pitch: 3/8" P Gauge: .043" Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 172 C-E CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 172 CHAINSAW



Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

[†]The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 180 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 180 C-BE CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 181 C-BE CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 008 4813	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 182 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER



^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 182 C-BE CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P Gauge: .043" Drive Link Count: 55			

START OVER

 MORE INFO

 MORE INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 193 C-E CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3905	61 PMM3 44	61 PS 44
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 44			
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 008 3909	61 PMM3 50	61 PS 50
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 008 3913	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 193 T CHAINSAW



For in-tree professional use only!

Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3905	61 PMM3 44	61 PS 44
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 44			
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 008 3909	61 PMM3 50	61 PS 50
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3698 005 0055	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 194 C-E CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3905	61 PMM3 44	61 PS 44
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 44			
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 008 3909	61 PMM3 50	61 PS 50
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 008 3913	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 194 T CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3905	61 PMM3 44	61 PS 44
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 44			
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 008 3909	61 PMM3 50	61 PS 50
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 008 3913	61 PMM3 55	61 PS 55
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 200 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P Gauge: .050" Drive Link Count: 44			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P Gauge: .050" Drive Link Count: 50			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P Gauge: .050" Drive Link Count: 55			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 200 T CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 201 C-EM CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 201 T C-M CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4805	63 PM3 44	63 PS 44
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 44			
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 211 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			
18"	3005 000 4817	63 PM3 61	63 PS 61
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 61			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 211 C-BE CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			
18"	3005 000 4817	63 PM3 61	63 PS 61
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 61			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 212 C-BE CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			
18"	3005 000 4817	63 PM3 61	63 PS 61
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 61			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 241 C-E CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
14"	3005 000 4809	63 PM3 50	63 PS 50
Pitch: 3/8" P Gauge: .050" Drive Link Count: 50			
16"	3005 000 4813	63 PM3 55	63 PS 55
Pitch: 3/8" P Gauge: .050" Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 250 CHAINSAW



BEFORE 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 4717	26 RM3 68	26 RS 68
Pitch: .325" Gauge: .063" Drive Link Count: 68			



AFTER 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 7017	23 RM3 68	23 RS 68
Pitch: .325" Gauge: .050" Drive Link Count: 68			

START OVER



[†]The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 251 WOOD BOSS®



BEFORE 2022

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 4717	26 RM3 68	26 RS 68
Pitch: .325" Gauge: .063" Drive Link Count: 68			



AFTER 2022

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 7017	23 RM3 68	23 RS 68
Pitch: .325" Gauge: .050" Drive Link Count: 68			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 251 C-BE CHAINSAW



BEFORE 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 4717	26 RM3 68	26 RS 68
Pitch: .325" Gauge: .063" Drive Link Count: 68			



AFTER 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3005 008 7017	23 RM3 68	23 RS 68
Pitch: .325" Gauge: .050" Drive Link Count: 68			

START OVER



MORE
INFO



MORE
INFO

[†]The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MS 261 CHAINSAW



BEFORE 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 008 6813	26 RM3 67	26 RS 67
Pitch: .325" Gauge: .063" Drive Link Count: 67			
18"	3003 008 6817	26 RM3 74	26 RS 74
Pitch: .325" Gauge: .063" Drive Link Count: 74			
20"	3003 008 6821	26 RM3 81	26 RS 81
Pitch: .325" Gauge: .063" Drive Link Count: 81			



AFTER 2022

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 000 3313	23 RM3 67	23 RS 67
Pitch: .325" Gauge: .050" Drive Link Count: 67			
18"	3003 008 3317	23 RM3 74	23 RS 74
Pitch: .325" Gauge: .050" Drive Link Count: 74			
20"	3003 008 3321	23 RM3 81	23 RS 81
Pitch: .325" Gauge: .050" Drive Link Count: 81			

START OVER



[†]The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MS 271 FARM BOSS®



BEFORE 2022

Bar Length†	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 008 6813	26 RM3 67	26 RS 67
Pitch: .325" Gauge: .063" Drive Link Count: 67			
18"	3003 008 6817	26 RM3 74	26 RS 74
Pitch: .325" Gauge: .063" Drive Link Count: 74			
20"	3003 008 6821	26 RM3 81	26 RS 81
Pitch: .325" Gauge: .063" Drive Link Count: 81			



AFTER 2022

Bar Length†	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 000 3313	23 RM3 67	23 RS 67
Pitch: .325" Gauge: .050" Drive Link Count: 67			
18"	3003 008 3317	23 RM3 74	23 RS 74
Pitch: .325" Gauge: .050" Drive Link Count: 74			
20"	3003 008 3321	23 RM3 81	23 RS 81
Pitch: .325" Gauge: .050" Drive Link Count: 81			

START OVER



†The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MS 291 CHAINSAW



BEFORE 2022

Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 008 6813	26 RM3 67	26 RS 67
Pitch: .325" Gauge: .063" Drive Link Count: 67			
18"	3003 008 6817	26 RM3 74	26 RS 74
Pitch: .325" Gauge: .063" Drive Link Count: 74			
20"	3003 008 6821	26 RM3 81	26 RS 81
Pitch: .325" Gauge: .063" Drive Link Count: 81			



AFTER 2022

Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 000 3313	23 RM3 67	23 RS 67
Pitch: .325" Gauge: .050" Drive Link Count: 67			
18"	3003 008 3317	23 RM3 74	23 RS 74
Pitch: .325" Gauge: .050" Drive Link Count: 74			
20"	3003 008 3321	23 RM3 81	23 RS 81
Pitch: .325" Gauge: .050" Drive Link Count: 81			

START OVER



^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 311 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 008 4030	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 362 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 362 C-M CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 391 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 008 4030	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 400 C-M CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 441 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 441 C-M CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 008 8921	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 461 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			

START OVER



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 462 CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			

START OVER



^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 462 C-M CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
18"	3003 008 8917	33 RS3 66	33 RS 66
Pitch: 3/8" Gauge: .050" Drive Link Count: 66			
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			

START OVER



¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 500i CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			
32"	3003 000 8846	33 RS3 105	33 RS 105
Pitch: 3/8" Gauge: .050" Drive Link Count: 105			
36"	3003 000 8853	33 RS3 114	33 RS 114
Pitch: 3/8" Gauge: .050" Drive Link Count: 114			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 661 MAGNUM®



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			
32"	3003 000 8846	33 RS3 105	33 RS 105
Pitch: 3/8" Gauge: .050" Drive Link Count: 105			
36"	3003 000 8853	33 RS3 114	33 RS 114
Pitch: 3/8" Gauge: .050" Drive Link Count: 114			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 661 C-M MAGNUM®



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
20"	3003 000 8822	33 RS3 72	33 RS 72
Pitch: 3/8" Gauge: .050" Drive Link Count: 72			
25"	3003 000 8830	33 RS3 84	33 RS 84
Pitch: 3/8" Gauge: .050" Drive Link Count: 84			
28"	3003 000 8838	33 RS3 91	33 RS 91
Pitch: 3/8" Gauge: .050" Drive Link Count: 91			
32"	3003 000 8846	33 RS3 105	33 RS 105
Pitch: 3/8" Gauge: .050" Drive Link Count: 105			
36"	3003 000 8853	33 RS3 114	33 RS 114
Pitch: 3/8" Gauge: .050" Drive Link Count: 114			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 880 CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
25"	3002 000 9731	N/A	46 RS 80
Pitch: .404" Gauge: .063" Drive Link Count: 80			
36"	3002 000 9753	N/A	46 RS 108
Pitch: .404" Gauge: .063" Drive Link Count: 108			
41"	3002 000 9757	N/A	46 RS 123
Pitch: .404" Gauge: .063" Drive Link Count: 123			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MS 881 MAGNUM®



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
25"	3002 000 9731	N/A	46 RS 80
Pitch: .404" Gauge: .063" Drive Link Count: 80			
36"	3002 000 9753	N/A	46 RS 108
Pitch: .404" Gauge: .063" Drive Link Count: 108			
41"	3002 000 9757	N/A	46 RS 123
Pitch: .404" Gauge: .063" Drive Link Count: 123			

START OVER



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 60 C-B BATTERY CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 70 C-B BATTERY CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 120 C-B BATTERY CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 140 C-B BATTERY CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 160 C-B BATTERY CHAINSAW



Bar Length [*]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	NA
Pitch: 1/4" P Gauge: .043" Drive Link Count: 64			
14"	3005 008 3409	71 PM3 72	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 72			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

^{*}The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 161 T

BATTERY CHAINSAW



For in-tree professional use only!

Bar Length [†]	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 65	N/A
Pitch: 1/4" P Gauge: .043" Drive Link Count: 65			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

[†]The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

MSA 200 C-B BATTERY CHAINSAW



BEFORE 2023

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 008 3405	71 PM3 64	N/A
Pitch: 1/4" P I Gauge: .043" I Drive Link Count: 64			
14"	3005 008 3405	71 PM3 72	N/A
Pitch: 1/4" P I Gauge: .043" I Drive Link Count: 72			



AFTER 2023

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4405	61 PS3 44	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 44			
14"	3005 000 4409	61 PS3 50	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
16"	3005 000 4413	61 PS3 55	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			

START OVER

MSA 220 C-B BATTERY CHAINSAW



BEFORE 2023

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
14"	3005 000 4809	63 PS3 50	N/A
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 50			
16"	3005 000 4813	63 PS3 55	N/A
Pitch: 3/8" P I Gauge: .050" I Drive Link Count: 55			



AFTER 2023

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
14"	3005 000 4409	61 PS3 50	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 50			
16"	3005 000 4413	61 PS3 55	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 55			
18"	3005 000 4417	61 PS3 61	N/A
Pitch: 3/8" P I Gauge: .043" I Drive Link Count: 61			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 220 TC-O BATTERY CHAINSAW



For in-tree professional use only!

Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
12"	3005 000 4405	63 PS3 44	N/A
Pitch: 3/8" P Gauge: .043" Drive Link Count: 44			
14"	3005 000 4409	63 PS3 50	N/A
Pitch: 3/8" P Gauge: .043" Drive Link Count: 50			
16"	3005 000 4413	63 PS3 55	N/A
Pitch: 3/8" P Gauge: .043" Drive Link Count: 55			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



MSA 300 C-O BATTERY CHAINSAW



Bar Length¹	Bar Part #	Green Chain Marketing #	Yellow Chain Marketing #
16"	3003 000 3313	23 RS3 67	N/A
Pitch: .325" Gauge: .050" Drive Link Count: 67			
18"	3003 008 3317	23 RS3 74	N/A
Pitch: .325" Gauge: .050" Drive Link Count: 74			
20"	3003 008 3321	23 RS3 81	N/A
Pitch: .325" Gauge: .050" Drive Link Count: 81			

START OVER



MORE
INFO



MORE
INFO



MORE
INFO

¹The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.



STIHL'S COLOR-CODING SYSTEM FOR EASIER COMPLIANCE WITH ANSI/OPEI B175.1

STIHL has developed a color-coding system to help you:

- Comply with the ANSI/OPEI B175.1 chainsaw kickback standard.
- Know the difference between powerheads with a displacement of less than 3.8 cu. in. (62.3 cc) and powerheads with a displacement of 3.8 cu. in. (62.3 cc) and above.
- Identify the STIHL bars and chains with different kickback reduction characteristics.

This system uses the colors green and yellow and includes powerheads, replacement chains, and guide bars.



Recommended

Green marks the products ("green family") that are designed to reduce the risk of kickback injury and to comply with the ANSI/OPEI B175.1 kickback standard. These products are recommended for both experienced and inexperienced chainsaw users.



Caution

Products marked yellow indicate increased risk of kickback injury and are for use only by persons with extraordinary cutting needs and experience and specialized training for dealing with kickback.

Replacement chains:

Low-kickback chains are coded green. All other chains are coded yellow.

The chain loop boxes and the reel chain cores are color-coded by a label. The chain loop itself in its original condition incorporates a color-coded tie strap.

The only green color-coded STIHL chains are:

- STIHL PICCO™ Duro 3 (63 PD3 3/8")
- STIHL PICCO™ Micro™ Mini 3 (61 PMM3 3/8")
- STIHL PICCO™ Micro™ 3 (63 PM3 3/8" and 71 PM3 1/4")
- STIHL PICCO™ Super 3 (61 and 63 PS3 3/8")
- STIHL RAPID™ Duro 3 (23 and 26 RD3 .325", 33 and 36 RD3 3/8")
- STIHL RAPID™ HEXA™ (33 and 36 RH3 3/8")
- STIHL RAPID™ Micro™ 3 (33 and 36 RM3 3/8" and 23, 25, and 26 RM3 .325")
- STIHL RAPID™ Super 3 (23 RS3 .325", 33 and 36 RS3 3/8")

All other chains are color-coded yellow.

Guide bars:

Reduced-kickback bars are also coded green. All other bars are coded yellow.

Kickback-Reducing Feature of Green-Labeled, Kickback Chains

Single-humped drive link on 1/4" PM3, 3/8" PS3, 3/8" RS3, 3/8" PD3, 3/8" PMM3, 3/8" PM3, .325" RD3, .325" RM3, 3/8", RH3, and 3/8" RM3.



A specially designed drive link incorporating a kickback-tendency-reducing hump into the structure of the drive link.



This symbol indicates that the chain is a low-kickback chain. STIHL recommends the use of a green-labeled, low-kickback chain.



WARNING: This symbol indicates that the product has increased risk of kickback injury and is for use only by persons with extraordinary cutting needs, and experience and specialized training for dealing with kickback.



WARNING FOR ELECTRIC CHAINSAW USERS!

The fibers will not stop the sprocket on most electric chainsaws because of their constant high torque.

START OVER